

# Roles of energy storage in balancing power networks

(Joint work with Richard Gibbens and James Cruise)

Stan Zachary

Maxwell Institute for Mathematical Sciences  
Edinburgh and Heriot-Watt Universities

4 April 2014

# Outline

Introduction

Storage for arbitrage

Stochastic extensions

Integration of buffering for uncertainty

Demand-side management

## Problem

Electricity **supply** and **demand** must be kept balanced on a minute-by-minute basis.

## Problem

Electricity **supply** and **demand** must be kept balanced on a minute-by-minute basis.

- ▶ GB **demand** varies from about 25 GW overnight to 50 GW (or more) in early evening in winter.

# Problem

Electricity **supply** and **demand** must be kept balanced on a minute-by-minute basis.

- ▶ GB **demand** varies from about 25 GW overnight to 50 GW (or more) in early evening in winter.
- ▶ **Demand** may be subject to sudden fluctuations of up to 2 GW.

# Problem

Electricity **supply** and **demand** must be kept balanced on a minute-by-minute basis.

- ▶ GB **demand** varies from about 25 GW overnight to 50 GW (or more) in early evening in winter.
- ▶ **Demand** may be subject to sudden fluctuations of up to 2 GW.
- ▶ Failures of **conventional supply** or the **transmission network** may cause sudden losses of up to 2 GW.

# Problem

Electricity **supply** and **demand** must be kept balanced on a minute-by-minute basis.

- ▶ GB **demand** varies from about 25 GW overnight to 50 GW (or more) in early evening in winter.
- ▶ **Demand** may be subject to sudden fluctuations of up to 2 GW.
- ▶ Failures of **conventional supply** or the **transmission network** may cause sudden losses of up to 2 GW.
- ▶ The contribution of **wind power** (currently several GW) is rapidly increasing. But the wind is subject to sudden fluctuations.

# Problem

Electricity **supply** and **demand** must be kept balanced on a minute-by-minute basis.

- ▶ GB **demand** varies from about 25 GW overnight to 50 GW (or more) in early evening in winter.
- ▶ **Demand** may be subject to sudden fluctuations of up to 2 GW.
- ▶ Failures of **conventional supply** or the **transmission network** may cause sudden losses of up to 2 GW.
- ▶ The contribution of **wind power** (currently several GW) is rapidly increasing. But the wind is subject to sudden fluctuations.

Hence there are major problems both of **variability** and of **uncertainty**.



# Uses of storage

- ▶ Smoothing of **variability** — natural to address through **arbitrage**, **buy** energy when price is **low**, and **sell** energy when price is **high**.
- ▶ Buffering and control of **uncertainty** — can **integrate** with above by valuing energy in store.

**Many** other uses of **storage**, but we shall concentrate on the above two.





Dinorwig: capacity: 9 GWh    rate: 1.8 GW    efficiency 0.75–0.80

# Outline

Introduction

Storage for arbitrage

Stochastic extensions

Integration of buffering for uncertainty


Demand-side management

# Storage for arbitrage

Assume (initially)

- ▶ The **value** of storage can be captured in price **arbitrage** (buy energy when cheap and sell when expensive)
- ▶ Prices are known in advance (no uncertainty)

## Model




$E$  = size of store — capacity constraint

$P$  = max input/output rate — rate constraint

## Cost function

At any (discrete) time  $t$ ,



$C_t(x)$  = cost of increasing level of store by  $x$  (positive or negative)  
Assume **convex** (reasonable). This may model

- ▶ market impact
- ▶ efficiency of store
- ▶ rate constraints

## Problem

Let  $S_t =$  level of store at time  $t$ ,  $0 \leq t \leq T$ .

Policy  $S = (S_0, \dots, S_T)$ ,  $S_0 = S_0^*$  (fixed),  $S_T = S_T^*$  (fixed).

Define also  $x_t(S) = S_t - S_{t-1}$

(energy “bought” by store at time  $t$  – positive or negative)

Problem: minimise cost

$$\sum_{t=1}^T C_t(x_t(S))$$

subject to

$$S_0 = S_0^*, \quad S_T = S_T^*$$

and

$$0 \leq S_t \leq E, \quad 1 \leq t \leq T - 1.$$



## Result: Lagrangian sufficiency


Suppose there exists a **vector**  $\mu^* = (\mu_1^*, \dots, \mu_T^*)$  and a **value**  $S^* = (S_0^*, \dots, S_T^*)$  of  $S$  such that

- ▶  $S^*$  is **feasible**,
- ▶  $x_t(S^*)$  **minimises**  $C_t(x) - \mu_t^* x$  over all  $x$ ,  $1 \leq t \leq T$ ,
- ▶ the pair  $(S^*, \mu^*)$  satisfies the **complementary slackness conditions**, for  $1 \leq t \leq T - 1$ ,

$$\begin{cases} \mu_{t+1}^* = \mu_t^* & \text{if } 0 < S_t^* < E, \\ \mu_{t+1}^* \leq \mu_t^* & \text{if } S_t^* = 0, \\ \mu_{t+1}^* \geq \mu_t^* & \text{if } S_t^* = E. \end{cases} \quad (1)$$

Then  $S^*$  **solves** the stated problem.

# Picture proof



## Proper proof

Let  $S$  be any vector which is **feasible** for the problem (with  $S_0 = S_0^*$  and  $S_T = S_T^*$ ). Then, from the **minimisation condition** above,

$$\sum_{t=1}^T [C_t(x_t(S^*)) - \mu_t^* x_t(S^*)] \leq \sum_{t=1}^T [C_t(x_t(S)) - \mu_t^* x_t(S)].$$

Rearranging and recalling that  $S$  and  $S^*$  agree at 0 and at  $T$ , we have

$$\begin{aligned} \sum_{t=1}^T C_t(x_t(S^*)) - \sum_{t=1}^T C_t(x_t(S)) &\leq \sum_{t=1}^T \mu_t^* (S_t^* - S_{t-1}^* - S_t + S_{t-1}) \\ &= \sum_{t=1}^{T-1} (S_t^* - S_t) (\mu_t^* - \mu_{t+1}^*) \\ &\leq 0, \end{aligned}$$

by the **complementary slackness conditions** above.

## Comment

- ▶ The above result (essentially an application of the Lagrangian Sufficiency Principle) does **not** require **convexity** of the functions  $C_t$ .
- ▶ However, **convexity** of the functions  $C_t$  is sufficient to **guarantee** the **existence** of a pair  $(S^*, \mu^*)$  as above.

The latter result is a standard application of **Strong Lagrangian** theory (i.e. the **Supporting Hyperplane Theorem**).


# Algorithm

- ▶ Need to **identify** the relevant value  $\mu_t^*$  at each time  $t$ .
- ▶ This is as in the previous picture (“**stretched string**”).
- ▶ Note that, at each time  $t$ , only a **typically short time horizon** is required to identify  $\mu_t^*$ .

## Example: Real prices with Dinorwig parameters

$E/P = 5$  hrs      Efficiency = 0.85 (ratio of sell to buy price).


Solution is bang-bang: red points buy, blue points sell



## Example: Real prices with Dinorwig parameters

$E/P = 5$  hrs      Efficiency = 0.65 (ratio of sell to buy price).

Solution is bang-bang: red points buy, blue points sell



## Small store

This is a store whose activities are not so great as to impact upon the market, and which thus has linear buy and sell prices. Thus, for all  $t$ ,

$$C_t(x) = \begin{cases} c_t^{(b)} x & \text{if } 0 \leq x \leq P \\ c_t^{(s)} x & \text{if } -P \leq x < 0 \end{cases}$$

where  $0 < c_t^{(s)} \leq c_t^{(b)}$  and  $P$  is rate constraint.



## Small store

This is a store whose activities are not so great as to impact upon the **market**, and which thus has **linear** buy and sell prices. Thus, for all  $t$ ,

$$C_t(x) = \begin{cases} c_t^{(b)} x & \text{if } 0 \leq x \leq P \\ c_t^{(s)} x & \text{if } -P \leq x < 0 \end{cases}$$

where  $0 < c_t^{(s)} \leq c_t^{(b)}$  and  $P$  is **rate** constraint.

### Characteristics

- ▶ Optimal control is **bang-bang**: at each time **buy** as much as possible, **do nothing**, or **sell** as much as possible (according to value of  $\mu_t^*$  in relation to above costs).
- ▶ If  $E = \infty$  (**no capacity constraint**) then optimal solution is global in time.
- ▶ If  $P = \infty$  (**no rate constraint**) then optimal solution is very local in time.

# Outline

Introduction

Storage for arbitrage

**Stochastic extensions**

Integration of buffering for uncertainty

Demand-side management

## Result

Suppose that the cost functions  $C_t$  evolve **randomly** in time, and that

$$C_t = \xi_t \bar{C}_t, \quad 1 \leq t \leq T,$$

where  $(\bar{C}_1, \dots, \bar{C}_T)$  is a sequence of **deterministic** cost functions and where  $(\xi_1, \dots, \xi_T)$  is a sequence of strictly positive real-valued random variables such that

$$\mathbf{E}(\xi_t | \mathcal{F}_{t-1}) = \xi_{t-1}, \quad 1 \leq t \leq T,$$

and where the deterministic functions  $\bar{C}_t$  are assumed to satisfy the same conditions as the cost functions  $C_t$  of the deterministic problem.

Then the **optimal control** (cost minimisation) strategy remains **exactly as previously**, with the optimal sequence of store levels as given in the case where **stochastic cost functions**  $C_t$  are replaced by their **deterministic counterparts**  $\bar{C}_t$ .

# Outline

Introduction

Storage for arbitrage

Stochastic extensions

**Integration of buffering for uncertainty**

Demand-side management

## Integration of buffering for uncertainty

Suppose that the store is **also used** to provide **buffering** against **relatively rare** unexpected events.

Then the previous **optimization problem** may be rewritten as:

**Problem:** minimise

$$\sum_{t=1}^T [C_t(x_t(S)) + A_t(S_t)]$$

subject to

$$S_0 = S_0^*, \quad S_T = S_T^*$$

and

$$0 \leq S_t \leq E, \quad 1 \leq t \leq T - 1.$$

Here the functions  $A_t$ , such that  $A_t(S_t)$  is the cost (negative benefit) of having a level of **reserve**  $S_t$  in the store at time  $t$ , are **independently calculable**.

## Result - Lagrangian sufficiency

Assume, for simplicity, we incorporate the **capacity constraints** into the functions  $A_t$ , and the functions  $C_t$  and  $A_t$  are **differentiable**.


Suppose there exists a **scalar**  $\nu^*$  and a **value**  $S^* = (S_0^*, \dots, S_T^*)$  (with  $S_0^*$  and  $S_T^*$  having their required values) such that

$$C'_t(x_t) = \nu - \sum_{u=t}^T A'_u(S_u) \quad =: \mu_t$$

Then  $S^*$  **solves** the stated problem.

## Lagrangian sufficiency (ctd)

The solution has a “stretched string” characterisation as before:



The previous algorithm may be adapted to give a solution which is essentially **local in time**.

# Outline

Introduction

Storage for arbitrage

Stochastic extensions

Integration of buffering for uncertainty

**Demand-side management**



# Demand-side management

Like **storage**, this is **shifting energy through time**.

However, there are typically **additional constraints** e.g.

- ▶ **duration of actions**
- ▶ **frequency of actions.**